eBook

A framework from NiCE Cognigy

Your AI agents will make mistakes. Is your CX ready?

Using the CARE Framework to evaluate and contain AI agent risk



NiCE Cognigy

AI agents are more sophisticated than ever. Is your governance?

In July 2026, AI agents under test at OpenAI broke out of their environment through an internal package service and reached administrative access inside Hugging Face's production systems. Headlines called it AI escaping the lab. Now boards want to know what their own agents are allowed to do, and who answers when one oversteps.

In customer service, the stakes are immediate. AI agents speak for your brand across thousands of daily conversations, and increasingly act inside the systems that hold customer data. One wrong action can repeat at scale, and customers hold your brand accountable, not the vendor.

Most risk and governance frameworks were built for AI that could only talk or follow scripted flows, but now, agentic AI reasons, calls tools, and acts. It can issue a refund, change a record, or send a message with no person in the loop. The old frameworks were never built for today's models.

The most common real-world harm for customer experience owners is not a breach. It is thousands of customers given a wrong answer about a policy, a fee, an eligibility or a deadline, and the remediation cost that follows.

"For every agent we deploy, we should be able to answer one question: When the model gets it wrong, how much damage can it actually do?"

Philipp Heltewig,
Chief AI Officer,
NiCE



© NiCE 2026

Where AI governance breaks down in customer experience

Below are four real-world failures where governance broke down in practice, and each one traces back to what the agent was allowed to do, not to how it reasoned.

Example 1: No limit on what it could commit to

A dealership chatbot was manipulated into offering a vehicle far below its value, and treated the offer as binding once the customer pushed back. Nothing in its design stopped it from making a commercial commitment it had no authority to make.

Example 2: An access failure, not a model failure

A hiring chatbot's weak login credentials, combined with a separate access flaw, exposed millions of applicant records. The failure wasn't the model's judgment. It was what the account behind it was allowed to reach.

Example 3: The company was on the hook regardless

An airline's chatbot gave a customer inaccurate information about its own bereavement fare policy. A tribunal held the airline liable for what its own agent told the customer, whether or not a human ever reviewed it.

Example 4: No constraint on tone or output

A courier company's support chatbot was goaded into swearing at a customer and writing a poem criticizing its own employer, before the company disabled it.



Four real-world failures

None of these examples trace back to a flaw in the model's reasoning. Every one traces back to what the agent was permitted to do, and what nobody was watching. Look again at Hugging Face: permissions and credentials shaped the outcome as much as model reasoning did.

© NiCE 2026

It's a permissions problem, not a model problem.

An AI agent is made up of three parts, built and governed by different people. The first two, model and context, are what most governance frameworks already evaluate: how a model was trained, and what information it's given to answer questions. That was enough when AI agents could only talk or operate in predefined, deterministic flows.

The third part, the harness, is what changes now that agents reason and act, and it's the one most companies haven't evaluated at all.

The model

Reasons over the conversation and decides what to say or do next. Trained by the AI lab that built it—nothing specific to your business or your customers.

CONTROLLED BY
The AI lab

The context

Everything it reads: your instructions, your knowledge, the conversation, and whatever the customer types. This is also where prompt injection lives.

CONTROLLED BY
You write most of it. Your customer adds to it via interactions.

The harness


Connects the model to your tools, channels, knowledge, workflows and guardrails, and decides what it's actually allowed to call, reach, and send.

CONTROLLED BY
Whoever builds and deploys it

Only the harness is fully within your control. That's the one place a mistake's damage can be limited by design, whichever vendor you choose.

> "A harness is the software that wraps around the model, connecting it to your tools, data and guardrails so it can act safely."
>
> The Hitchhiker's Guide to Agentic AI: From Foundations to Systems, arXiv, 2026

The three parts of an AI agent



© NiCE 2026

Neither the model nor its context can be fully secured

Two of an AI agent's three components have a structural limit that no vendor can fully close. That is why control has to be enforced in the third component.

The model → Alignment

Controlled by the AI lab

Alignment means making a model behave as intended. It is attempted in training by the lab that built it, and reinforced by your own instructions. Neither stage is guaranteed: a well-trained model can behave unpredictably outside the conditions it was trained for.

The context → Prompt injection


Controlled by you, and by your customers through every interaction

A model can't reliably tell your instructions apart from instructions hidden inside content it reads: a message, an email, a webpage. Filtering lowers how often an attack succeeds. No vendor can prevent it outright.

Both limits point to the same conclusion: since neither can be fully closed at the model, control has to be enforced somewhere else — at the harness, independent of whether the model behaves as expected.

2 of 3

components of an AI agent have a structural limit that no vendor can fully close.



So control has to be enforced in the third component: **the harness**.

© NiCE 2026

CARE: your framework for evaluating the AI agent harness

If alignment and the limitation of prompt injection can't fully close the gap, the practical goal has to change: instead of trying to guarantee the model never errs, limit how much damage it can do when it does. That happens at the harness, the layer that turns a model's output into an action in a real system. Its risk profile comes down to four checks: **Capability, Access, Routes, and Evidence, or the CARE framework.**



Capability

What actions are available
Risk closed: The agent inventing or expanding its own capabilities, even under manipulation.



Access

How far each action can reach
Risk closed: A permitted action reaching further than intended, like a lookup exposing more than one customer's record.



Routes

Where information can travel
Risk closed: Information leaving to a destination no one approved.



Evidence

What record exists afterward
Risk closed: A mistake going unexplained. There's a verifiable record of what happened and why.

The next five pages take each check in turn: how it works and the question to ask any vendor.



Four checks to prevent damage when the model errs

Alignment and prompt injection defenses can't fully close the gap, so the goal shifts to limiting the damage when the model errs. That happens at the harness, where model output becomes action. Four checks define its risk: Capability, Access, Routes, and Evidence (CARE). The next five pages cover each, plus the question to ask any vendor.

© NiCE 2026

Capability A R E

Capability: what the agent can do

The first check is the size and authorship of the agent's action list. Limiting damage starts with what the agent is permitted to do at all, so the agent cannot invent or expand its own capabilities, even under manipulation.

Mechanisms

01 A closed, human-authored tool list

02 Tools with declared parameters the model fills in, not requests it composes

03 No model-generated code

04 Built-in handover to a person

Question to ask any vendor

What can the agent do, and who authors that list?


How it works in NiCE Cognigy

Predefined Tools with agent-level connections

At build time, a person defines which Tools an agent can use, and the agent cannot add one. Each agent keeps its own MCP connections and Tool selections, so an agent's behavior won't change because someone edited a project-level resource.

Skills framework

Cognigy's Skills framework bundles Tools with relevant instructions about when and how to use them, limiting the AI agent's context window for Tool use and ensuring precise, task-specific execution.



Agent overview
The Tools tab lists every tool available to the agent and the Skills each one belongs to, as selected by a person at build time.

© NiCE 2026

Capability: what the agent can do

How it works in NiCE Cognigy, continued

Fixed parameters


Each tool has fixed fields. The model fills them in, like a form. It cannot write its own request.

Gated by the platform

The platform checks a condition before offering a tool, and the model can't override it, e.g. refund tool appears only after customer has logged in.

Handover to Flows

For steps that must run exactly as scripted, such as identity checks or compliance wording, the agent passes the conversation to a predefined Flow, ensuring predictability. Flows also enable handover to human agents on specific detected intents, low confidence, or a condition you define.



Handover node in a Flow: for steps that must run exactly as scripted, the agent passes the conversation to a predefined flow. The builder defines the handoff message, the opening instructions, and how much of the conversation is shared with the receiving agent.

© NiCE 2026

Access: how far each permitted action can reach

A permitted action can still reach further than intended, like a lookup exposing more than one customer's record. The second check is how tightly each action is scoped to the person, role, and data it is meant to touch.

Mechanisms

01 Role-based permissions

02 Single sign-on

03 Encrypted credential storage

04 Automatic redaction of personal data from logs

Question to ask any vendor

How far can it reach within each permitted action?

How it works in NiCE Cognigy

Profile controls

A builder chooses which customer profile fields an agent can see, per agent. Nothing gets written to a customer record unless the builder explicitly set it up, and writes happen through deterministic Custom Tool nodes, not the LLM deciding on its own.

Role-based access and SSO


Permissions follow roles, and people sign in through your identity provider. Model keys, speech settings, and carrier settings sit in one place, restricted by admin role.

Credentials kept out of the conversation

Tool credentials are stored encrypted, outside the conversation design. This means they never appear in prompts the model reads.

Personal data redacted from logs and analytics

Less personal data is stored, so there is less to leak.



Guardrails tab: the builder chooses which customer profile fields this agent can see.

© NiCE 2026

Routes: where information can travel

Even a correctly scoped action can send information somewhere no one approved.
The third check is whether the destinations are fixed in advance or left open-ended.

Mechanisms

01 Pre-configured destinations only

02 No open-ended outbound capability

03 Configurable masking

Question to ask any vendor

Where can information be sent, and is there an unrestricted option?

How it works in NiCE Cognigy

Only what a person wired up


An agent reaches only the systems, knowledge sources, and handover targets a human configured. A handoff points to a specific Flow in the same project, and an agent connects only to server addresses a builder has registered, using only the tools selected from them.

Masking and retention

Masking is configurable, and logs are kept 24 hours by default.

No send-anywhere option

There is no general-purpose ability for the model to reach for.



Fixed endpoints: an agent can reach only the systems, knowledge sources, and handover targets a builder has configured.

© NiCE 2026

Evidence: what record exists afterward

Controls only matter if they can be verified. The fourth check is whether a complete, reviewable record exists once an action has been taken, and whether the system is tested before and after go-live. This means mistakes don't go unexplained, and there's a verifiable record of what happened and why.

Mechanisms

01 A timestamped, step-level record of every conversation

02 Full prompt and completion logging to your own systems

03 Adversarial testing before go-live

04 Continuous adversarial testing after go-live

Question to ask any vendor

What evidence exists once an action is taken?

How it works in NiCE Cognigy

Detailed tracing


Test agents and see each conversation broken into turns (input message, then output message). Within each turn, individual spans record what happened: skills activated, tools called, model response times, Flow steps run, and so on.

Insights & Conversation Analyzer

Reports and explorers on usage and performance with LLM-based quality scoring of your conversations to continuously monitor agents that are live in production.

Review LLM request data

Every request sent from Cognigy to your selected LLM, including metadata, custom data, and the resulting completion response, can be captured and sent to your preferred system or dashboard for faster debugging and quality control.



Interaction Panel and Tracing: view exactly which steps an agent took within each conversation turn.

© NiCE 2026

Attack your own AI agent before someone else does

Verify that Capability, Access, and Routes checks hold up in reality, not just on paper:

Check 1 – Capability

ATTACK
Ask for an action that is not on its tool list.

PASS
It refuses or hands over. No new tool call appears.

Check 2 – Access

ATTACK
Ask for someone else's order, or for all orders.

PASS
It returns only the one record the customer is entitled to.

Check 3 – Routes

ATTACK
Ask it to send customer details to an outside address.

PASS
Nothing leaves except through routes a human wired up.

How it works in NiCE Cognigy

Cognigy Simulator


Simulator runs these attacks for you before go-live. Thousands of adversarial and edge-case conversations, each scored on guardrail adherence.

Multivariate testing

Within Simulator, run multiple variations of the same scenarios (with different snapshots, LLMs, and workflows) and compare outcomes side-by-side to test variations and ship the optimal agent version.

Agentic building plugin

Adds red teaming, so you can identify gaps and get them fixed in one automated flow.



Cognigy Simulator. Each scenario defines a persona and a maximum number of turns, then runs as a simulated conversation against the agent.

© NiCE 2026

eBook

NiCE Cognigy

Key takeaways for your next evaluation

- **Model capability has become broadly comparable across vendors.** The harness is the primary point of differentiation.
- **Agents will make errors.** The design objective is limiting the consequences, not eliminating the possibility.
- **Prompt injection should be assumed possible and bounded through capability design.**
- **Apply the CARE framework to every deployed agent, including those built in-house.**

Talk to our team



See how NiCE Cognigy answers each of these checks.

NiCE Cognigy builds AI agents for customer experience: agents that hold real conversations, take real actions, and run in production, not in another pilot. It works with the contact center stack you already run.

cognigy.com